Volume 50, 2001

# Plant Pathology

An international journal edited by the
British Society for Plant Pathology

Senior Editor
R. Shattock

## Volume Contents

*b*
Blackwell
Science

ISSN 0032-0862

Published by Blackwell Science Ltd
Typeset and printed by the Alden Group, Oxford.

©2001 British Society for Plant Pathology. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the British Society for Plant Pathology for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Senior Editor. 0032-0862/01 $15.

The Blackwell Science logo is a trade mark of Blackwell Science Ltd registered at the United Kingdom Trade Marks Registry.

**Editorial Offices:**
23 Ainslie Place, Edinburgh EH3 6AJ
25 St John Street, London WC1N 2BS
Osney Mead, Oxford OX2 0EL
54 University Street, Carlton South, Victoria 3053, Australia
Blackwell Science France, 10 rue Casimir Delavigne, 75006 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 104, Japan
Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA

ISSN 0032-0862

# Contents


## NUMBER 1 FEBRUARY

1 *N. V. Hardwick* Fifty years of *Plant Pathology*

10 *J. S. West, P. D. Kharbanda, M. J. Barbetti & B. D. L. Fitt* Epidemiology and management of *Leptosphaeria maculans* (phoma stem canker) on oilseed rape in Australia, Canada and Europe

28 *C. Toscano-Underwood, J. S. West, B. D. L. Fitt, A. D. Todd & M. Jedryczka* Development of phoma lesions on oilseed rape leaves inoculated with ascospores of A-group or B-group *Leptosphaeria maculans* (stem canker) at different temperatures and wetness durations

42 *T. Gilles, B. D. L. Fitt, S. J. Welham, N. Evans, J. M. Steed & M. J. Jeger* Modelling the effects of temperature and wetness duration on development of light leaf spot on oilseed rape leaves inoculated with *Pyrenopeziza brassicae* conidia

53 *S. Savary, N. P. Castilla & L. Willocquet* Analysis of the spatio-temporal structure of rice sheath blight epidemics in a farmer's field

69 *H. Brun, D. Ruer, S. Levivier, I. Somda, M. Renard & A. M. Chèvre* Presence in *Leptosphaeria maculans* populations of isolates virulent on resistance introgressed into *Brassica napus* from the *B. nigra* B genome

75 *W. A. J. M. Dawson & G. L. Bateman* Fungal communities on roots of wheat and barley and effects of seed treatments containing fluquinconazole applied to control take-all

83 *C. J. Wilkinson, B. L. Shearer, T. J. Jackson & G. E. St J. Hardy* Variation in sensitivity of Western Australian isolates of *Phytophthora cinnamomi* to phosphite *in vitro*

90 *A. M. Vettraino, G. Natili, N. Anselmi & A. Vannini* Recovery and pathogenicity of *Phytophthora* species associated with a resurgence of ink disease in *Castanea sativa* in Italy

97 *C. Linde, S. H. Soo & A. Drenth* Sexual recombination in *Phytophthora cinnamomi in vitro* and aggressiveness of single-oospore progeny to *Eucalyptus*

103 *E. O. Monda, F. E. Sanders & A. Hick* Infection and colonization of bean leaf by *Phaeoisariopsis griseola*

111 *H. Solheim, P. Krokene & B. Långström* Effects of growth and virulence of associated blue-stain fungi on host colonization behaviour of the pine shoot beetles *Tomicus minor* and *T. piniperda*

117 *R. Hadas, G. Kritzman, T. Gefen & S. Manulis* Detection, quantification and characterization of *Erwinia carotovora* ssp. *carotovora* contaminating pepper seeds

124 *M. Nicolaisen, H. N. Rasmussen, K. Husted & S. L. Nielsen* Reverse transcription–detection of immobilized, amplified product in a one-phase system (RT-DIAPOPS) for the detection of potato virus Y

130 *M. Laimer da Camara Machado, S. Paltrinieri, V. Hanzer, W. Arthofer, S. Strommer, M. Martini, M. Pondrelli & A. Bertaccini* Presence of European stone fruit yellows (ESFY or 16SrX-B) phytoplasmas in apricots in Austria

136 *Book reviews*

## NUMBER 2 APRIL

Review Article

141 *D. Errampalli, J. M. Saunders & J. D. Holley.* Emergence of silver scurf (*Helminthosporium solani*) as an economically important disease of potato

154 *K. Papastamati, S. J. Welham, B. D. L. Fitt & P. Gladders.* Modelling the progress of light leaf spot (*Pyrenopeziza brassicae*) on winter oilseed rape (*Brassica napus*) in relation to leaf wetness and temperature

165 *M. J. Manzanares-Dauleux, I. Divaret, F. Baron & G. Thomas.* Assessment of biological and molecular variability between and within field isolates of *Plasmodiophora brassicae*

174 *K. A. Steele, E. Humphreys, C. R. Wellings & M. J. Dickinson.* Support for a stepwise mutation model for pathogen evolution in Australasian *Puccinia striiformis* f.sp. *tritici* by use of molecular markers

181 *M. S. Hovmøller.* Disease severity and pathotype dynamics of *Puccinia striiformis* f.sp. *tritici* in Denmark

190 *J. R. Bertelsen, E. de Neergaard & V. Smedegaard-Petersen.* Fungicidal effects of azoxystrobin and epoxiconazole on phyllosphere fungi, senescence and yield of winter wheat

206 *B. Slippers, M. J. Wingfield, T. A. Coutinho & B. D. Wingfield.* Population structure and possible origin of *Amylostereum areolatum* in South Africa

211 *M. Venter, M. J. Wingfield, T. A. Coutinho & B. D. Wingfield.* Molecular characterization of *Endothia gyrosa* isolates from *Eucalyptus* in South Africa and Australia

218 *C. M. Brasier & S. A. Kirk.* Comparative aggressiveness of standard and variant hybid alder phytophthoras, *Phytophthora cambivora* and other *Phytophthora* species on bark of *Alnus*, *Quercus* and other woody hosts

230 *P. Krokene, H. Solheim & E. Christiansen.* Induction of disease resistance in Norway Spruce (*Picea abies*) by necrotizing fungi

234 *M. E. R. Sijaona, A. Clewer, A. Maddison & J. W. Mansfield.* Comparative analysis of powdery mildew development on leaves, seedlings and flower panicles of different genotypes of cashew

244 *M. E. R. Sijaona & J. W. Mansfield.* Variation in the response of cashew genotypes to the targeted application of fungicide to flower panicles for control of powdery mildew disease

249 *D. A. Metcalf & C. R. Wilson.* The process of antagonism of *Sclerotium cepivorum* in white rot affected onion roots by *Trichoderma koningii*

258 *J. C. Janse van Rensburg, N. Laubschagne & S. Nemec.* Occurrence of *Fusarium*-produced naphthazarins in citrus trees and sensitivity of root stocks to isomarticin in relation to citrus blight

266 *A. M. D'Onghia, F. Carimi, F. De Pasquale, K. Djelouah & G. P. Martelli.* Elimination of citrus psorosis virus by somatic embryogenesis from stigma and style cultures

270 *M. F. Andrés, M. D. Romero, M. J. Montes & A. Delibes.* Genetic relationships and isozyme variability in the *Heterodera avenae* complex determined by isoelectrofocusing

## NUMBER 3 JUNE

281 *B. R. Trognitz, M. Orrillo, L. Portal, C. Román, P. Ramón, S. Perez & G. Chacón.* Evaluation and analysis of reduction of late blight disease in a diploid potato progeny

292 *W. G. Flier, L. J. Turkensteen, G. B. M. van den Bosch, P. F. G. Vereijken & A. Mulder.* Differential interaction of *Phytophthora infestans* on tubers of potato cultivars with different levels of blight resistance

302 *R. D. Peters, A. V. Sturz, B. G. Matheson, W. J. Arsenault & A. Malone.* Metalaxyl sensitivity of

isolates of *Phytophthora erythroseptica* in Prince Edward Island

310 *E. S. Jones, W. A. Breese & D. S. Shaw.* Inoculation of pearl millet with the downy mildew pathogen, *Sclerospora graminicola*: chilling inoculum to delay zoospore release and avoid spray damage to zoospores

317 *L. Bousset, B. Schaeffer & C. de Vallavieille-Pope.* Effect of early infections on population structure of barley powdery mildew (*Blumeria graminis* f.sp. *hordei*) in population field plots

325 *J. K. M. Brown, G. H. J. Kema, H.-R. Forrer, E. C. P. Verstappen, L. S. Arraiano, P. A. Brading, E. M. Foster, P. M. Fried & E. Jenny.* Resistance of wheat cultivars and breeding lines to septoria tritici blotch caused by isolates of *Mycosphaerella graminicola* in field trials

339 *L. S. Arraiano, P. A. Brading & J. K. M. Brown.* A detached seedling leaf technique to study resistance to *Mycosphaerella graminicola* (anamorph *Septoria tritici*) in wheat

347 *E. J. A. Taylor, E. A. Stevens, J. A. Bates, G. Morreale, D. Lee, D. M. Kenyon & J. E. Thomas.* Rapid-cycle PCR detection of *Pyrenophora graminea* from barley seed

356 *P. S. Dyer, G. L. Bateman & H. M. Wood.* Development of apothecia of the eyespot pathogen *Tapesia* on cereal crop stubble residue in England

363 *R. W. Kolnaar & F. van den Bosch.* Effect of temperature on epidemiological parameters of *Puccinia lagenophorae*

371 *P. Di Primo, G. Cartia & T. Katan.* Vegetative compatibility and heterokaryon stability in *Fusarium oxysporum* f.sp. *radicis-lycopersici* from Italy

383 *F. Munaut, N. Hamaide & H. Maraite.* Molecular and morphological characterization of *Colletotrichum gloeosporioides* from native Mexican *Stylosanthes* species

397 *R. Buonaurio, V. M. Stravato & C. Cappelli.* Brown spot caused by *Sphingomonas* sp. on yellow Spanish melon fruits in Spain

402 *C. R. Wilson.* Resistance to infection and translocation of *Tomato spotted wilt virus* in potatoes

**New Disease Reports**

411 *L. Kiss & O. Szentiványi.* Infection of bean with cucumber powdery mildew, *Podosphaera fusca*

412 *S. H. Yu, H. S. Cho & H. B. Lee.* First report of alternaria leaf blight of blackberry-lily caused by *Alternaria iridicola* in Korea

413 *B. Maseko, T. Burgess, T. Coutinho & M. Wingfield.* First report of *Phytophthora nicotianae* associated with *Eucalyptus* die-back in South Africa

414 *K. Farreyrol, M. N. Pearson, M. Grisoni & F. Leclercq-Le Quillec.* Severe stunting of *Vanilla tahitensis* in French Polynesia caused by *Cucumber mosaic virus* (CMV), and the detection of the virus in *V. fragrans* in Reunion Island

415 *G. H. Karaca & I. Erper.* First report of *Pestalotiopsis guepinii* causing twig blight on hazelnut and walnut in Turkey

417 *Book reviews*

**NUMBER 4 AUGUST**

New Honorary Member of BSPP

419 Dr Roy Johnson

420 *X.-S. Qu, J. A. Kavanagh, D. Egan & H. Lahert.* Studies on amoebae and cysts associated with the isolation of *Spongospora subterranea* f.sp. *subterranea in vitro*

427 *F. P. Wong, H. N. Burr & W. F. Wilcox.* Heterothallism in *Plasmopara viticola*

433 *E. Wicker, M. Hullé & F. Rouxel.* Pathogenic characteristics of isolates of *Aphanomyces euteiches* from pea in France

443 *R. B. Bassanezi, L. Amorim, A. Bergamin Filho, B. Hau & R. D. Berger.* Accounting for photosynthetic efficiency of bean leaves with rust, angular leaf spot and anthracnose to assess crop damage

453 *N. V. Hardwick, D. R. Jones & J. E. Slough.* Factors affecting diseases of winter wheat in England and Wales, 1989–98

463 *A. S. Turner, P. Nicholson, S. G. Edwards, G. L. Bateman, L. W. Morgan, A. D. Todd, D. W. Parry, J. Marshall & M. Nuttall.* Evaluation of diagnostic and quantitative PCR for the identification and severity assessment of eyespot and sharp eyespot in winter wheat

470 *R. Gogoi, D. V. Singh & K. D. Srivastava.* Phenols as a biochemical basis of resistance in wheat against Karnal bunt

477 *L. Tsror (Lahkim), M. Hazanovsky, S. Mordechi-Lebiush & S. Sivan.* Aggressiveness of *Verticillium dahliae* isolates from different vegetative compatibility groups to potato and tomato

483 *L. Tsror (Lahkim) & M. Hazanovsky.* Effect of coinoculation by *Verticillium dahliae* and *Colletotrichum coccodes* on disease symptoms and fungal colonization in four potato cultivars

489 *B. P. J. de Lacy Costello, P. Evans, R. J. Ewen, H. E. Gunson, P. R. H. Jones, N. M. Ratcliffe & P. T. N. Spencer-Phillips.* Gas chromatography–mass spectrometry analyses of volatile organic compounds from potato tubers inoculated with *Phytophthora infestans* or *Fusarium coeruleum*

497 *P. Krokene & H. Solheim.* Loss of pathogenicity in the blue-stain fungus *Ceratocystis polonica*

503 *R. Huang & J. C. Tu.* Effects nutrient solution pH on the survival and transmission of *Clavibacter michiganensis* ssp. *michiganensis* in hydroponically grown tomatoes

509 *J. Kimpinski, W. J. Arsenault & A. V. Sturz.* Differential effect of nematicide treatments on tuber yields in early- and late-maturing potato cultivars

515 *W. J. Botha, S. Serfontein, M. M. Greyling & D. K. Berger.* Detection of *Xylophilus ampelinus* in grapevine cuttings using a nested polymerase chain reaction

527 *W. A. Monger, S. Seal, A. M. Isaac & G. D. Foster.* Molecular characterization of the *Cassava brown streak virus* coat protein

535 *Book Reviews*

**NUMBER 5 OCTOBER**

537 *B. S. Rodgers-Gray & M. W. Shaw.* The effect of incorporating straw or manure into the soil on the natural microflora of winter wheat

546 *J. A. Kolmer & J. Q. Liu.* Simple inheritance of partial resistance to leaf rust in two wheat cultivars

552 *H. Haugaard, H. J. Lyngs Jørgensen, M. F. Lyngkjær, V. Smedegaard-Petersen & D. B. Collinge.* Control of *Blumeria graminis* f.sp. *hordei* by treatment with mycelial extracts from cultured fungi

561 *X.-M. Xu, L. Guerin & J. D. Robinson.* Effects of temperature and relative humidity on conidial germination and viability, colonization and sporulation of *Monilinia fructigena*

569 *X.-M. Xu, J. D. Robinson, A. M. Berrie & D. C. Harris.* Spatio-temporal dynamics of brown rot (*Monilinia fructigena*) on apple and pear

579 *S. Ziadi, S. Barbedette, J. F. Godard, C. Monot, D. Le Corre & D. Silué.* Production of pathogenesis-related proteins in the cauliflower (*Brassica oleracea* var.

*botrytis*)-downy mildew (*Beronospora parasitica*) pathosystem treated with acibenzolar-S-methyl

587 *C. J. Wilkinson, J. M. Holmes, B. Dell, K. M. Tynan, J. A. McComb, B. L. Shearer, I. J. Colquhoun & G. E. St. J. Hardy.* Effect of phosphite on *in planta* zoospore production of *Phytophthora cinnamomi*

594 *C. D. Georgiou & K. P. Petropoulou.* Effect of the antioxidant ascorbic acid on sclerotial differentiation in *Rhizoctonia solani*

601 *S. H. Khan, J. Aked & N. Magan.* Control of the anthracnose pathogen of banana (*Colletotrichum musae*) using antioxidants alone and in combination with thiabendazole or imazalil

609 *J. Mercado-Blanco, D. Rodríguez-Jurado, E. Pérez-Artés & R. M. Jiménez-Díaz.* Detection of the nondefoliating pathotype of *Verticillium dahliae* in infected olive plants by nested PCR

620 *A. Zoina, A. Raio, R. Peluso & A. Spasiano.* Characterization of agrobacteria from weeping fig (*Ficus benjamina*)

628 *S. M. Aljanabi, Y. Parmessur, Y. Moutia, S. Saumtally & A. Dookun.* Further evidence of the association of a phytoplasma and a virus with yellow leaf syndrome in sugarcane

637 *B. Bertrand, F. Anthony & P. Lashermes.* Breeding for resistance to *Meloidogyne exigua* in *Coffea arabica* by introgression of resistance genes of *Coffea canephora*

645 *Book reviews*

**Erratum**

651 *N. V. Hardwick, D. R. Jones & J. E. Slough.* Erratum: Factors affecting diseases of winter wheat in England and Wales, 1989–98

**NUMBER 6 DECEMBER**

653 *J. D. Janse, M. P. Rossi, R. F. J. Gorkink, J. H. J. Derks, J. Swings, D. Janssens & M. Scortichini.* Bacterial leaf blight of strawberry *(Fragaria (x) ananassa)* caused by a pathovar of *Xanthomonas arboricola,* not similar to *Xanthomonas fragariae* Kennedy & King. Description of the causal organism as *Xanthomonas arboricola* pv. *fragariae* (pv. nov., comb. nov.)

666 *F. McKenna, K. A. El-Tarabily, G. E. St J. Hardy & B. Dell.* Novel *in vivo* use of a polyvalent *Streptomyces* phage to disinfest *Streptomyces scabies*-infected seed potatoes

676 *M. M. M. Fitch, A. T. Lehrer, E. Komor & P. H. Moore.* Elimination of *Sugarcane yellow leaf virus* from infected sugarcane plants by meristem tip culture visualized by tissue blot immunoassay

681 *J. A. Dahlberg, R. Bandyopadhyay, W. L. Rooney, G. N. Odvody & P. Madera-Torres.* Evaluation of sorghum germplasm used in US breeding programmes for sources of sugary disease resistance

690 *C. L. Schiff, I. W. Wilson & S. C. Somerville.* Polygenic powdery mildew disease resistance in *Arabidopsis thaliana*: quantitative trait analysis of the accession Warschau-1

702 *D. Grote & W. Claussen.* Severity of root rot on tomato plants caused by *Phytophthora nicotianae* under nutrient- and light-stress conditions

708 *C. Robin, G. Capron & M. L. Desprez-Loustau.* Root infection by *Phytophthora cinnamomi* in seedlings of three oak species

717 *L. Guerin, G. Froidefond & X.-M Xu.* Seasonal patterns of dispersal of ascospores of *Cryphonectria parasitica* (chestnut blight)

725 *D. J. Tessmann, J. C. Dianese, A. C. Miranda & L. H. R. Castro.* Epidemiology of a Neotropical rust *(Puccinia psidii)*: periodical analysis of the temporal progress in a perennial host *(Syzygium jambos)*

732 *X.-S. Zhang, J. Holt & J. Colvin.* Synergism between plant viruses: a mathematical analysis of the epidemiological implications

747 *D. J. Barbara, A. Morton, S. Ramcharan, I. W. Cole, A. Phillips & V. H. Knight.* Occurrence and distribution of *Raspberry bushy dwarf virus* in commercial *Rubus* plantations in England and Wales

755 *T. B. Whitaker, J. Wu, G. L. Peterson, F. G. Giesbrecht & A. S. Johansson.* Variability associated with the official USDA sampling plan used to inspect export wheat shipments for *Tilletia controversa* spores

761 *G. R. G. Clover, C. Ratti & C. M. Henry.* Molecular characterization and detection of European isolates of *Soil-borne wheat mosaic virus*

768 *W. A. Monger, S. Seal, S. Cotton & G. D. Foster.* Identification of different isolates of *Cassava brown streak virus* and development of a diagnostic test

776 *J. Přibylová, J. Špak, J. Fránová & K. Petrzik.* Association of aster yellows subgroup 16SrI-B phytoplasmas with a disease of *Rehmannia glutinosa* var. *purpurea*

782 *W. Jarausch, J. L. Danet, G. Labonne, F. Dosba, J. M. Broquaire, C. Saillard & M. Garnier.* Mapping the spread of apricot chlorotic leaf roll (ACLR) in southern France and implication of *Cacopsylla pruni* as a vector of European stone fruit yellows (ESFY) phytoplasmas

**New Disease Reports**

791 *A. Tagne & S. B. Mathur.* First report of chlorotic spot of maize caused by *Pestalotiopsis neglecta*

792 *R. T. A. Cook.* First report in England of changes in the susceptibility of *Puccinia horiana,* the cause of chrysanthemum white rust, to triazole and strobilurin fungicides

793 *K. M. Makkouk, M. A. El-Muadhidi & S. G. Kumari.* First record of *Beet western yellows virus, Chickpea chlorotic dwarf virus* and *Faba bean necrotic yellows virus* affecting faba bean (*Vicia faba*) crops in Iraq

794 *R. C. Gonçalves & R. W. Barreto.* Root and stem rot of *Schefflera arboricola* in Brazil, caused by *Fusarium solani*

795 *J. Bakonyi, Z. Á. Nagy, L. Vajna & T. Érsek. Phytophthora nicotianae* causes blight of lily in Hungary

796 *J. P. Legg, G. Okao-Okuja, R. Mayala & J.-B. Muhinyuza.* Spread into Rwanda of the severe cassava mosaic virus disease pandemic and associated Uganda variant of *East African cassava mosaic virus* (EACMV-Ug)

797 *S. Kurt & S. Soylu.* First report of powdery mildew on mulberry caused by *Phyllactinia guttata* in the eastern Mediterranean region of Turkey

798 *P. Roggero, V. Masenga, R. Lenzi, F. Coghe, S. Ena & S. Winter.* First report of *Pepino mosaic virus* in tomato in Italy

799 *F. Şahin.* Severe outbreak of bacterial speck, caused by *Pseudomonas syringae* pv. *tomato* on field-grown tomatoes in eastern Anatolia region of Turkey

800 *K. S. Ravi, A. Buttgereitt, A. S. Kitkaru, S. Deshmukh, D. E. Lesemann & S. Winter.* Sunflower necrosis disease from India is caused by an ilarvirus related to *Tobacco streak virus*

801 *M. J. Kirby, M. J. Kirby & A. N. Adams.* Occurrence of *Cherry virus A* in the UK

802 *M. K. Pandit, P. S. Nath, S. Mukhopadhyay, B. J. Devonshire & P. Jones.* First report of *Dasheen mosaic virus* in elephant foot yam in India

803 *G. J. Ash & V. M. Lanoiselet.* First report of *Alternaria alternata* causing late blight of pistachio (*Pistacia vera)* in Australia

804 *D. Kostova, V. Masenga, R. G. Milne & V. Lisa.* First report of *Eggplant mottled dwarf virus* in cucumber and

pepper in Bulgaria
805 *A. L. Blockley & R. A. Mumford.* The identification and isolation of *Impatiens necrotic spot virus* from prickly pear cactus (*Opuntia microdasys*)
806 *K. M. Makkouk, A. Najar & S. G. Kumari.* The first record of *Barley yellow dwarf virus* and *Cereal yellow dwarf virus* in Tunisia
807 *J.V. Etheridge, L. Davey & D. G. Christian.* First report of *Rhizoctonia cerealis* causing sharp eyespot in *Panicum virgatum* in the UK
808 *M. Sosnowski, M. Ramsey, G. Murray, E. Scott & C. Wilmshurst.* Symptoms of blackleg (*Leptosphaeria maculans*) on the roots of canola in Australia
809 *F. Şahin.* Pepper races 7, 8, and 10 of *Xanthomonas axonopodis* pv. *vesicatoria* isolated from diseased pepper plants in Turkey
810 *R. Black, S. Seal, Z. Abubakar, R. Nono-Womdim & I. Swai.* Bacterial spot (*Xanthomonas campestris* pv. *vesicatoria*) of tomato and sweet pepper in Tanzania
811 *A. Nikandrow, R. L. Gilbert, D. A. Gunning, M. A. C. B. Lawler, K. D. Lindbeck & G. M. Murray.* First report of *Phytophthora* sp. causing a root and basal stem rot of narrowleaf lupin in Australia
812 *Book Reviews*
815 *Author index*
820 *Keyword index*